

SAFETY DATA SHEET (SDS)

SECTION 1 PRODUCT AND MANUFACTURER IDENTIFICATION

GHS Product Identifier

Product Trade Name: Chemsolve CCC (FG)

Alternative Brand Names: H26 Chemsolve CCC (FG) / Profgard #1

Synonyms: Medium - high alkaline, heavy duty, concentrated, high-foaming hard surface degreaser and universal

all-purpose cleaner

(Food Grade)

GHS Manufacture Information

Manufacturer: Chemical Techniques

12 Sophia Street West Turffontein Johannesburg South Africa

Telephone Number: +2711 680 2516

Fax Number: +2711 680 2533 **Emergency Contact:** +2783 406 1374

Technical Contact: +2783 297 1617

E-mail: info@cemtec.co.za

GHS Product Usage Info

Recommended use: Used as an all-purpose foaming degreaser in food and other sensitive areas.

Restrictions on use: No restrictions applicable if used for intended purpose / application.

Product Dilution range: Refer to TDS

GHS Product Usage Info

Issue Date: 01 May 2023

SDS Revision: Revision 5

SDS Revision Date: 01 May 2023

GHS SDS Compliance: SANS 10234:2019 – (GHS) Globally Harmonized System of classification and labeling of chemicals

SANS 11014 (2010) - Safety data sheet for chemical products — Content and order of sections.

Certified: SANS 1828 (FOOD GRADE)
Compliant: HACCP / ISO 22 000 SYSTEMS

Additional Information: This Safety Data Sheet (SDS) replaces the 16 point Material Safety Data Sheet (MSDS) according to

SANS 11014 (2010) - Safety data sheet for chemical products — Content and order of sections.

Page **1** of **9**





SAFETY DATA SHEET (SDS)

SECTION 2 HAZARD IDENTIFICATION

GHS Hazards In accordance with PHYSICAL, HEALTH and ENVIRONMENTAL HAZARDS:

GHS Classification: Hazard Category/Class

Physical Hazards: Corrosive Class 8

Health Hazards: Acute Toxicity (Oral) 5

Skin Irritation 3
Eye Irritation 2A

Environmental Hazards: Chronic Aquatic Toxicity IV

GHS Labelling Elements
Hazard Pictograms:



GHS Signal Word: Warning

GHS Hazards: H303: May be harmful if swallowed.

H317: May cause an allergic skin reaction.

H320: Causes eye irritation.

GHS Precautionary Statements: P101: If medical advice is needed, have product container or label at hand.

P202: Do not handle until all safety precautions have been read and understood.

P270: Do not eat, drink or smoke when using this product.

P262: Do not get in eyes, on skin or on clothing. **P264**: Wash hands thoroughly after handling.

GHS Response Statements: P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+330+331+313: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

get medical attention.

P305+351+338+313: IF IN EYES: Rinse cautiously with water for several minutes, remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention.

P337+313: If eye irritation persists, **get medical attention**. P302+353+313: IF ON SKIN: Rinse skin with water. P332+313: If skin irritation occurs, **get medical attention**.

GHS Handling and Storage Precautionary Statements

P102: Keep out of reach of children.

P103 : Read label before use.

P404+P405: Store in a closed container. Store locked up.

P235+402+403+410: Keep cool. Store in a dry place. Store in a well-ventilated place.

Protect from sunlight.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

GHS Disposal Precautionary Statements:

P501: Dispose of contents/container in accordance to local, regional, national or international

regulations.

Other Hazards: Additional Information:

Ensure adequate respiratory protection when foaming applications are conducted. Do not drink / ingest, this product contains 2-Butoxyethanol + Sodium metasilicate.

Flo-Pro Systems. 1 Elston Avenue, Benoni, JHB, 2135 I 010 442 3098 I info@floprosystems.co.za





SAFETY DATA SHEET (SDS)

SECTION 3 COMPOSITION / INFORMATION OF INGREDIENTS

Physical State of Product:

Substance / Mixture: Mixture

Blend Type:

(Proprietary Blend / Special Blend /

Raw material / Other)

Liquid

Proprietary Blend

Ingredients contributing to hazard:

Name	Cas No:	EC No:	Content %			
Sodium laureth sulphate	68585-34-2	205-788-1	> 8%			
Eye irritant, 2B (H320) Aquatic chronic, IV (H402)						
2-Butoxyethanol	111-76-2	203-905-0	< 10%			
Flam liquid, 4 (H227) Acute tox oral, 4 (H320)+(H332)+(H312) Eye irritation, 2A (H319)+(H315)						
Secondary alcohol ethoxylate	84133-50-6	617-534-0	< 10%			
Acute tox oral, 4 (H302) Eye damage, 1 (H318) Skin irritation, 2 (H316)						
Sodium metaslicate	6834-92-0	229-912-0	< 5%			
Acute tox oral, 4 (H302) Skin corrosion, 1B (H314) Eye damage, 1 (H318) Target organ tox, 3 (H335)						

Balance: aqua + proprietary and / or other substance not classified under GHS

Additional Information:

Please note data are typical of the product and not a specification or a full composition. The risk profile may change if this product is mixed with other compounds or as a blend within other components. Revision of hazardous components based on SANS 10234:2019.

SECTION 4 FIRST-AID MEASURES

In case of eye contact:

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention.

In case of skin contact:

If swallowed:

Rinse with water if required, if skin irritation occurs get medical attention.

Rinse mouth with water. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention.

If inhaled:

Protection of first-aiders:

Remove to fresh air. Treat symptomatically. **Get medical attention** if symptoms occur. If potential for exposure exists refer to **Section 8** for specific personal protective equipment.

Notes to physician:

Treat symptomatically.

Delayed symptoms:

None reported. Should the patient experience any delayed symptoms, immediately consult physician.

Most important symptoms and effects, both acute and delayed:

Refer to Section 11 for more detailed information on health effects and symptoms.

Additional Information:

Affected person should never be left unattended. Never give anything by mouth or induce vomiting to an unconscious person. Treatment of exposure should be directed at the control of the symptoms and the clinical condition of the patient. Depending on the risk profile of the product and the patient the symptoms may re-occur and/or change over time. In that event have the patient consult a physician again.



SAFETY DATA SHEET (SDS)

SECTION 5 FIREFIGHTING MEASURES

Suitable extinguishing media: Dry powder, CO2, Water.

Unsuitable extinguishing media: None known.

Specific hazards during

firefighting: None known.

Hazardous combustion

products: None known.

Special protective equipment for

fire-fighters: Use personal protective equipment. Refer to section 8 – Exposure Controls / Personal Protection.

Additional Information: Collect contaminated extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local

regulations. In the event of fire and/or explosion do not breathe fumes.

SECTION 6

ACCIDENTAL RELEASE MEASURES

Clean up method:

Dry sand. Discharge in accordance with local regulations.

FOR SMALL LIQUID SPILLS (< 1 drum), transfer by mechanical means to a labelled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of

safely.

FOR LARGE LIQUID SPILLS (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material;

and dispose of safely. Remove contaminated soil and dispose of safely.

Environmental precaution:

Do not discharge large undiluted or un-treated volumes into sewers or aquatic environment.

Personal precautions and protective equipment and emergency procedures:

No additional PPE specified, Refer to **Section 8 - GHS personal protective equipment**.

Site emergency procedure and evacuation plan as implemented to be followed. Ensure compliance as

directed by safety officer / marshals. Adhere to local government regulations

Additional Information:

In the event of an accidental release or uncontrolled spillage, consult a licensed/certified waste

management company.





SAFETY DATA SHEET (SDS)

SECTION 7 HANDI

HANDLING & STORAGE

GHS Handling and storage measures:

P102 : Keep out of reach of children.

P103 : Read label before use. P404+P405 : Store in a closed container. Store locked up.

P235+402+403+410: Keep cool. Store in a dry place. Store in a well-ventilated place.

Protect from sunlight.

P281: Use personal protective equipment as required.

Incompatibilities: N

None known.

Additional Information:

Only trained and competent users should store and handle this product. Do not remove label. Un-ideal

storage conditions may affect product characteristics, shelve life & performance.

SECTION 8

EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients with workplace

control parameters:

None specified.

Engineering measures:

None specified.

Personal protective equipment:

Goggles, Gloves, Mask.

GHS Personal protective equipment pictograms:



Additional Information:

Only trained and competent users should store and handle this product.

User should be informed of any additional requirements as set out in the company's Health & Safety Policy, including but not limited to Standard Operating Procedures when using this product.





SAFETY DATA SHEET (SDS)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Non viscous liquid
Color: Amber – clear

Odor / Smell: Solvent Ethylene

Other characteristics: N/a
PH as supplied: > 10
PH @ 1% v/water: > 11
Boiling Point rage °C: > 100 °C
Melting Point Range °C: N/a

Viscosity @ 25 °C: USP 38 (2015 & BP 2016 TEXT) = 10

Flashpoint °C: N/a

Auto Ignition Temp °C: Not Tested
Explosion limits in air %: Not Tested
Vapor pressure @ 20 °C: Not Tested
Relative Density - (SG/SD): 1.05 – 1.10
Soluble in water: Yes

Soluble in other: N/a
Decomposition Temp: Not tested

Comments: N/a

Additional Information: This data is typical for the product and not a specification.

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Stable under normal cool conditions.

Possibility of a hazardous

reaction: None known.

Conditions to avoid: None known.

Incompatible materials: Avoid prolonged contact on aluminium.

Hazardous decomposition

products: None known.

Additional Information: N/a.

FLO-PRO SYSTEMS



SAFETY DATA SHEET (SDS)

SECTION 11 TOXICOLOGICAL INFORMATION / HEALTH EFFECTS

Inhalation: May cause shortness of breath.

Skin contact: Dry skin, possible skin irritation and redness. **Eye contact:** Red eye, irritation, itchy, discomfort, pain.

Ingestion: Short term stomach cramping, discomfort / pain including nausea, vomiting or diarrhea.

Likely routes of exposure: Inhalation, Skin contact, Eye contact, Ingestion.

Immediate and specific effects Shortness of breath / dry skin, possible skin irritation and redness / burning eyes / abdominal

including symptoms: discomfort / pain, nausea, vomiting or diarrhea. In case of ingestion seek medical attention and

monitor patient for any additional symptoms.

Delayed effects: None reported.

Chronic effects from short and

long term exposure: None reported.

Numerical measurement of

toxicity: Lethal Dose (LD50) / Lethal Concentrate (LC50) not tested or verified. No animal testing conducted

on this product.

Additional Information: Should the patient experience any delayed symptoms, immediately consult physician.

SECTION 12 ECOLOGICAL INFORMATION

Biodegradability: Contains readily biodegradable ingredients > 70% in 28 day. This product can be successfully

bio-remediated.

Eco toxicity: Non-toxic.

Bio accumulative potential: Not likely.

Mobility in soil: Not tested.

Other adverse effects: None experienced or reported.

Additional Information: Do not discharge large undiluted or un-treated volumes into sewers or aguatic environment.

SECTION 13 DISPOSAL CONSIDERATION

GHS Disposal Measures: In accordance with local regulations. In the event that disposal of material is conducted by a third party please ensure that the service provider is authorized and reputable. Please contact the manufacturer for additional

information if required.

Material Disposal Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste classification and disposal methods in

compliance with applicable regulations.

Container Disposal Drain container thoroughly. After draining, vent in a safe place away from sparks and fire. Refer to Section 7

before handling the product or containers. Residues may cause an additional hazard. Do not puncture, cut or weld unclean drums. Send to drum recoverer or metal reclaimer.

Local Legislation Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local

regulations may be more stringent than regional or national requirements and must be complied with.

Additional Information: N/a

Flo-Pro Systems. 1 Elston Avenue, Benoni, JHB, 2135 I 010 442 3098 I info@floprosystems.co.za





SAFETY DATA SHEET (SDS)

SECTION 14 TRANSPORT INFORMATION

UN Number: N/a

Proper Shipping Name: Non allocated

Hazard Class: 9

Packing Group: III

Transport Hazard Pictogram:



Hazard Description: Low hazard , mildly corrosive - Will cause slippery spill.

Main Hazardous Compound: Sodium metasilicate

Marine Pollutant: No – Refer to Section 12 – Ecological Information.

Blend Type: Proprietary Blend (Proprietary Blend / Special

(Proprietary Blend / Special Blend / Raw material / Other)

Reference: Transport of dangerous goods declaration.

Classification Information: Shipping and transporting of hazardous chemical(s) by road, air, rail, or sea.

US DOT IMDG IATA / ICAO ADR /RID/ AND

UN Number	Name	Cas No	Caution	Class	Packing Group
3626	Sodium metasilicate	6834-92-0	Corrosive	8	III
3626	Sodium metasilicate	6834-92-0	Corrosive	8	III
3626	Sodium metasilicate	6834-92-0	_ / Corrosive	8	III
3626	Sodium, metasilicate	6834-92-0	Corrosive	8	=

Special Precautions: N/a – Refer to Section 7 – Handling and Storage.

Additional Information: Liquid propriety blend, may cause slippery spill.

Transportation - In accordance to applicable regional, national, and local laws and regulations below:

- National Road Traffic Act 93 of 1996 and its amendments.
- SANS 10231 Transportation of Dangerous Goods Operational Requirements.
- SANS 10232.1 Transportation of Dangerous Goods Emergency Information Systems : Part 1 Emergency Information System for Road Transportation.





SAFETY DATA SHEET (SDS)

SECTION 15 REGULATORY INFORMATION

OHS Act: Occupational Health and Safety Act, 85 of 1993 as amended: Globally Harmonized System (GHS)

for classification and labelling of hazardous chemical, implementation.

GHS Classification and Labelling

Specification:

SANS 10234-A (2008) - List of classification and labelling of chemicals in accordance with the

Globally Harmonized System.

GHS SDS Content: SANS 11014:2010 - Safety data sheet for chemical products -

Content and order of sections.

Safety Regulations: As per local government regulations / National OHS compliance also Refer to Section 2 / Section 11.

Health Regulations: As per local government regulations / National OHS compliance also Refer to Section 2 / Section 11.

Environmental Regulations: As per local government regulations / National OHS compliance also Refer to Section 12 / Section 13.

Additional Information: Product to be used in accordance with local government regulations in compliance with the

Occupational health and safety act. Additional risk assessments may be conducted as and when

required.

SECTION 16 OTHER INFORMATION

General info: Personnel using this product must be trained and advised on the best, safest and most effective

means of application.

GHS Technical Data Sheet: Refer to Chemsolve CCC (FG) Technical Data Sheet for usage instructions.

GHS Label Information: Refer to Chemsolve CCC (FG) Label for GHS label information.

GHS Safety Data Sheet (SDS)

Control Information

Issue Date: 01 May 2023 SDS Revision: Revision 5 SDS Revision Date: 01 May 2023

GHS SDS Compliance: SANS 10234:2019 – (GHS) Globally Harmonized System of classification and labeling of chemicals.

SANS 11014 (2010) - Safety data sheet for chemical products — Content and order of sections.

Prepared and approved by: Riaan Dippenaar

Company: Chemical Techniques

Disclaimer: All information is provided in good faith and as accurate as possible. Chemical Techniques will not

accept any liability pertaining to the use of its products, as it is up to the end user "consumer" to determine the correct and safe use of this product. Kindly also consult our TDS prior to using this

product or kindly contact us for additional technical advice.

Flo-Pro Systems. 1 Elston Avenue, Benoni, JHB, 2135 I 010 442 3098 I info@floprosystems.co.za

